

### Amendments to the Claims

Please amend Claims 43 and 49 and add new Claims 55-57 to read as follows.

Claims 1-31 (cancelled)

32. (Previously presented) A mixed reality presentation method of displaying to a player a mixed reality space obtained by mixing real space and virtual space, comprising the steps of:

detecting a location of the player;

detecting a location of a controller operated by the player;

inputting an image of the real space;

generating a first image of the virtual space corresponding to the detected location of the player by using model information of the player;

generating a pointer display corresponding to the location of the controller as a second image of the virtual space;

generating an image of the mixed reality space by mixing the first and second images of the virtual space with the image of the real space; and

displaying the image of the mixed reality space to the player,

wherein the pointer display is made up of not less than  $n$  ( $n$  is an integer not less than 2) parallel lines each of which passes through vertices of a regular  $n$ -sided polygon.

33. (Previously presented) The method according to claim 32, further comprising the steps of:

detecting a posture of the player; and

detecting a posture of the controller,

wherein said step of generating a pointer display generates a pointer display corresponding to the location and the posture of the controller as a second image of the virtual space.

34. (Original) The method according to claim 32, wherein a length of the  $n$  parallel lines and a spacing between two neighboring parallel lines are defined to be values determined by a size of the mixed reality space.

35. (Original) The method according to claim 32, wherein a length of the  $n$  parallel lines and a spacing between two neighboring parallel lines are defined to be visually recognized with a distance in the mixed reality space.

36. (Previously presented) The method according to claim 32, further comprising:

generating a third image of the virtual space and mixing the third image with the image of the real space so that the third image covers the controller and a predetermined portion of the player in the image of the real space.

Claims 37 and 38 (cancelled)

39. (Previously presented) The method according to claim 36, wherein the n lines comprise the pointer display starting from substantially a distal end portion of the third image of the virtual space.

Claim 40 (cancelled)

41. (Previously presented) The method according to claim 32, wherein the position display further comprises an image representing scale marks.

Claim 42 (cancelled)

43. (Currently amended) A storage medium which stores ~~a pointer display~~ the mixed reality presentation method of claim 32 as a program which can be executed by a computer.

44. (Previously presented) A mixed reality apparatus for displaying to a player a mixed reality space obtained by mixing real space and virtual space, comprising:

a first detecting unit adapted to detect a location of the player;

a second detecting unit adapted to detect a location of a controller operated by the player;

an inputting unit adapted to input an image of the real space;

a first generating unit adapted to generate a first image of the virtual space corresponding to the detected location of the player by using model information of the player;

a second generating unit adapted to generate a pointer display corresponding to the location of the controller as a second image of the virtual space;

a third generating unit adapted to generate an image of the mixed reality space by mixing the first and second images of the virtual space with the image of the real space; and

a displaying unit adapted to display the image of the mixed reality space to the player;

wherein the pointer display is made up of not less than  $n$  ( $n$  is an integer not less than 2) parallel lines each of which passes through vertices of a regular  $n$ -sided polygon.

45. (Previously presented) A mixed reality presentation method comprising:

an input step of inputting a sensed image sensed by a camera of a first player;

a first detection step of detecting first location information representing locations of plural portions of the first player;

a second detection step of detecting second location information  
representing locations of plural portions of the second player;

a virtual image generating step of generating a virtual image to be  
superimposed on an image of the second player included in the sensed image based on the  
first and second location information and a player model; and

a mixed reality image generating step of generating a mixed reality image to  
be presented to the first player and representing the mixed reality space, by mixing the  
virtual image with the sensed image.

46. (Previously presented) The method according to Claim 45, wherein  
the plural portions including the head of the player on which a display device is worn  
through which the first or the second player experiences the mixed reality, respectively.

47. (Previously presented) The method according to Claim 45, wherein  
said second detection step also detects command information and said virtual image  
generating step varies the virtual image based on the command information.

48. (Previously presented) The method according to Claim 45, wherein  
the player model is a model that approximates a player using simple shapes.

49. (Currently amended) The method according to Claim 45, further  
comprising a visual axis detection step of ~~detection~~ detecting visual axes of the first and the

second player, and wherein said virtual image generating step varies the virtual image based on a relation between the location and visual axis of the first player and the location and visual axis of the second player.

50. (Previously presented) The method according to Claim 45, wherein the first location information further represents postures of the plural portions of the first player and the second location information further represents postures of the plural portions of the second player.

51. (Previously presented) A mixed reality presentation apparatus comprising:

an input unit adapted to input a sensed image sensed by a camera of a first player;

a first detection unit adapted to detect first location information representing locations of plural portions of the first player;

a second detection unit adapted to detect second location information representing locations of plural portions of the second player;

a virtual image generating unit adapted to generate a virtual image to be superimposed on an image of the second player included in the sensed image based on the first and second location information and a player model; and

a mixed reality image generating unit adapted to generate a mixed reality image to be presented to the first player and representing the mixed reality space, by mixing the virtual image with the sensed image.

52. (Previously presented) A computer-readable storage medium storing codes for performing steps comprising:

an input program step of inputting a sensed image sensed by a camera of a first player;

a first detection program step of detecting first location information representing locations of plural portions of the first player;

a second detection program step of detecting second location information representing locations of plural portions of the second player;

a virtual image generating program step of generating a virtual image to be superimposed on an image of the second player included in the sensed images based on the first and second location information and a player model; and

a mixed reality image generating program step of generating a mixed reality image to be presented to the first player and representing the mixed reality space, by mixing the virtual image with the sensed image.

53. (Previously presented) A mixed reality presentation method of three-dimensionally displaying a pointer for pointing at a three-dimensional point within a

mixed reality space that is represented by mixing a real space and a virtual space,  
comprising the steps of:

- obtaining location and posture information of a player;
- obtaining location and posture information of a unit operated by the player;
- generating a virtual image of a pointer display that comprises  $n$  parallel lines each of which passes through vertices of a regular  $n$ -sided polygon ( $n$  is an integer not less than 2) based on the location and posture information of the player and of the unit; and
- mixing the virtual image of the pointer display with a real space image to represent the mixed reality space to the player.

54. (Previously presented) The method according to Claim 53, wherein the virtual image further includes an image covering said unit, and wherein the pointer display starts from an edge of the image covering the unit.

55. (New) A computer-readable storage medium which stores the mixed reality presentation method of claim 53 as a program which can be executed by a computer.

56. (New) A mixed reality presentation method comprising:  
an input step of inputting a sensed image sensed by a camera;  
a detection step of detecting location information of a first player;



a virtual image generating step of generating a virtual image to be superimposed on an image of player included in the sensed image based on the location information and a player model; and

a mixed reality image generating step of generating a mixed reality image by mixing the virtual image with the sensed image.

57. (New) A computer-readable storage medium storing codes for performing steps comprising:

an input program step of inputting a sensed image sensed by a camera;

a detection program step of detecting location information of a first player;

a virtual image generating program step of generating a virtual image to be superimposed on an image of player included in the sensed image based on the location information and a player model; and

a mixed reality image generating program step of generating a mixed reality image by mixing the virtual image with the sensed image.